
Boat Performance Datasheet

Model	755 Weekend
Engine(s)	Mercury 175 Verado
HP / kW	175 / 129
Gear Ratio	2.08:1
Propeller	Enertia 16 x 11 x 3 BL SS
Propeller PN	8M0070079

Dry Weight 2624 kg Test Weight 3066 kg

RPM	Speed	Fuel Flow	Range
	(kts)	(l/h)	(km)
1000	2.5	1.8	681
1500	4.4	3.4	647
2000	6.1	5.3	571
2500	6.8	7.6	447
3000	7.9	11.7	335
3500	8.9	17.8	250
4000	10.4	23.5	220
4500	14.1	30.3	232
4800	17.8	32.9	270
5000	19.3	37.5	257
5500	22.8	43.2	264
6150	25.9	49.2	263

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.




Model	755 Weekend
Engine(s)	Mercury 200 Verado
HP / kW	200/147
Gear Ratio	2.08:1
Propeller	Enertia 15.6 x 13 x 3 BL SS
Propeller PN	8M0070074

Dry Weight 2624 kg Test Weight 3066 kg

RPM	Speed (kts)	Fuel Flow (l/h)	Range (km)
1000	2.7	2.3	587
1500	4.5	3.8	592
2000	5.9	6.1	480
2500	6.9	8.7	394
3000	7.9	13.6	289
3500	8.5	19.7	216
4000	12.1	29.1	208
4500	16.4	32.9	249
4800	19.2	39.0	246
5000	20.7	42.8	242
5500	23.6	54.9	214
6000	26.5	68.1	195
6350	28.5	74.6	191

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between

different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.




Model	755 Weekend
Engine(s)	Mercury 225 Verado
HP / kW	225 / 165
Gear Ratio	1.85:1
Propeller	Enertia 15.3 x 14 x 3 BL SS
Propeller PN	898988A46

Dry Weight 2686 kg Test Weight 3103 kg

RPM	Speed	Fuel Flow	Range
	(kts)	(l/h)	(km)
1000	3.0	4.2	357
1500	5.1	8.7	290
2000	6.6	13.6	243
2500	8.0	20.1	198
3000	8.9	25.0	177
3500	10.9	25.7	211
4000	15.6	41.3	189
4500	21.9	45.8	239
4800	23.8	50.7	234
5000	25.3	51.9	243
5500	28.7	63.6	225
6000	31.9	82.5	193
6300	33.1	97.7	169

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve. The information is provided as a comparison guide and is to show relative performance between

different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.




Model	755 Weekend
Engine(s)	Mercury 250 Verado
HP / kW	250/184
Gear Ratio	1.85:1
Propeller	Enertia 15.3 x 14 x 3 BL SS
Propeller PN	898988A46

Dry Weight 2686 kg Test Weight 3103 kg

RPM	Speed (kts)	Fuel Flow (I/h)	Range (km)
1000	3.1	4.7	324
1500	5.1	9.1	280
2000	6.7	14.0	239
2500	7.6	20.1	189
3000	8.5	25.4	167
3500	10.5	32.9	160
4000	15.2	41.6	183
4500	21.1	46.2	228
4800	23.5	50.3	234
5000	25.9	52.6	246
5500	29.0	64.0	226
6000	32.5	82.1	198
6275	34.8	98.8	176

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve.

The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.



Model	755 Weekend
Engine(s)	Mercury 300 Verado
HP / kW	300/221
Gear Ratio	1.85:1
Propeller	Enertia 15 x 15 x 3 BL SS
Propeller PN	898990A46

Dry Weight 2686 kg Test Weight 3103 kg

RPM	Speed	Fuel Flow	Range
REIVI	(kts)	(l/h)	(km)
1000	3.2	5.4	292
1500	5.5	10.2	270
2000	7.0	15.1	232
2500	7.9	22.0	180
3000	9.6	27.3	175
3500	11.7	34.4	170
4000	16.2	43.2	188
4500	21.3	51.5	207
4800	23.5	57.2	205
5000	25.5	59.4	214
5500	29.0	70.4	206
6000	32.9	87.8	187
6460	37.5	109.0	172

Performance data provided for a boat in light load condition. Light load condition consists of a boat with typical options, full fuel, safety gear, and 2 people. Cruise speed based off of 75% maximum RPM. Cruise range is based on cruise speed, with 10% fuel reserve.

The information is provided as a comparison guide and is to show relative performance between different engine options. A specific boat's performance will be affected by water and weather conditions, altitude, condition of the boat, actual load, and engine or propeller condition. Quicksilver® makes no guarantee that this performance will be repeated on this boat at a later date, or at any time on a similarly equipped boat.

